BOTHALIA

VOL. 22 INDEX — INDEKS

Published by the

National Botanical Institute, Private Bag X101, Pretoria 0001

Gepubliseer deur die

Nasionale Botaniese Instituut, Privaatsak X101, Pretoria 0001

Scientific Editor/Wetenskaplike Redakteur
O.A. LEISTNER
Technical Editor/Tegniese Redakteur
B.A. MOMBERG



BOTHALIA

VOL. 22

Published by the

National Botanical Institute, Private Bag X101, Pretoria 0001

Gepubliseer deur die

Nasionale Botaniese Instituut, Privaatsak X101, Pretoria 0001

Scientific Editor/Wetenskaplike Redakteur

O.A. LEISTNER

Technical Editor/Tegniese Redakteur

B.A. MOMBERG



CONTENTS—INHOUD

 No. 1
 Page/Bladsy
 Date/Datum

 No. 2
 1-164
 May/Mei 1992

 No. 2
 165-313
 Oct./Okt. 1992

| | Bladsy |
|--|--------|
| ARRIAGA, M.O. Salt glands in flowering culms of Eriochloa species (Poaceae) | 111 |
| BARKER, N.P. Obituary: Lucy Kathleen Armitage Chippindall (1913–1992) | 299 |
| BRUSSE, F. A new species of Bullatina from the Transkei Wild Coast (Gomphyllaceae-Lichenes) | 44 |
| BRUSSE, F. A new species in the lichen genus <i>Heterodermia</i> , from coastal Namagualand (Pyxinaceae) | 183 |
| BRUYNS, P. Notes on <i>Euphorbia</i> species from the northwestern Cape (Euphorbiaceae) | 37 |
| COMPTON, S.G. New records of <i>Ficus</i> species and their pollinators on Grand Comore (Moraceae) | 46 |
| DU PLESSIS, E. Review: South West African Botany, by W. Giess. 1989. | 155 |
| EDWARDS, T.J., KUNHARDT, C. and VENTER S. Notes on the genus <i>Streptocarpus</i> (Gesneriaceae) | 192 |
| GELDENHUYS, C.J. Richness, composition and relationships of the floras of selected forests in southern | |
| Africa | 205 |
| GERMISHUIZEN, G. Lessertia sneeuwbergensis, a new species from the Middelburg District of the central | 4 |
| Cape Province (Fabaceae) | 189 |
| HELME, N.A. & LINDER, H.P. Morphology, evolution and taxonomy of <i>Wachendorfia</i> (Haemodoraceae) | 59 |
| HENDERSON, L. Invasive alien woody plants of the eastern Cape | 119 |
| IMMELMAN, K.L. Studies in the <i>Justicia</i> and <i>Siphonoglossa</i> (Acanthaceae) species of southern Africa: | 171 |
| final conclusions | 171 |
| JOUBERT, C. and MOLL, E.J. A phytosociological study of Signal Hill, Cape Town, utilizing both perennial | 255 |
| and ephemeral species | 255 |
| | 313 |
| by D.J. von Willert, B.M. Eller, M.J.A. Werger, E. Brinckmann & HD. Ihlenfeldt. 1992 KURZWEIL, H. An analysis of the orchid flora of Mt Mulanje, Malawi | 235 |
| MYBURGH, W.J., BREYTENBACH, P.J.J., THERON, E.K. & BREDENKAMP, G.J. Die fitososiologie | 255 |
| van die Bankenveld in die Grootvlei-omgewing, Suid-Transvaal | 245 |
| NICHOLAS, A. & GOYDER, D.J. Aspidonepsis (Asclepiadaceae), a new southern African genus | 23 |
| OLIVER, E.G.H., FELLINGHAM, A.C. & VAN WYK, B-E. A new species of <i>Priestleya</i> from the south- | |
| Wastern Cana (Fahacasa) | 47 |
| PEROLD, S.M. Studies and the genus Riccia (Marchantiales) from southern Africa. 24. R. moenkemeyeri, | |
| Suppoents Ricciella, new tecotas | 19 |
| PEROLD, S.M. The occurrence in southern Africa of the hepatic, Symphyogyna brasiliensis (Pallavicinaceae) | 52 |
| PEROLD, S.M. Cololejeunea cardiocarpa, an epiphyllous liverwort in southern Africa (Lejeuneaceae) | 177 |
| PEROLD, S.M. Lectotypification of <i>Riccia crystallina</i> (Ricciaceae) | 185 |
| REID, C. Review: Flora of southeastern Queensland Vol. III, by T.D. Stanley and E.M. Ross. 1989 | 155 |
| ROURKE IP The correct author citation for <i>Paranomus reflexus</i> (Proteaceae) | 43 |
| ROURKE, J.P. Stilbe verticillata, the correct name for the species previously known as Stilbe mucronata | 400 |
| (Stilbaceae) ROURKE, J.P. & MANNING, J.C. The Ven. Charles Theophilus Hahn, a hitherto unknown Edwardian bo- | 192 |
| ROURKE, J.P. & MANNING, J.C. The Ven. Charles Theophilus Hahn, a hitherto unknown Edwardian bo- | 145 |
| | 145 |
| ROUX, J.P. Systematic studies in the genus <i>Mohria</i> (Anemiaceae: Pteridophyta). III. Comparative sporangium | 199 |
| and enore mornology | 177 |
| ROUX, J.P., RYAN, P.G., MILTON, S.J. & MOLONEY, C.L. Vegetation and checklist of Inaccessible Island, | 93 |
| central South Atlantic Ocean, with notes on Nightingale Island |)3 |
| SCHRIRE, B.D. New combinations and resurrected names in Microcharis and Indigastrum (Fabaceae- | 165 |
| Papilionoideae) | 105 |
| | 190 |
| (Fabaceae) SCHUTTE, A.L. & VAN WYK, B-E. A new species of <i>Coelidium</i> (Liparieae – Fabaceae) | 188 |
| SCHUTTE, L. An overview of <i>Penicillium</i> (Hyphomycetes) and associated teleomorphs in southern Africa | 77 |
| CMITH C.F. Lectotypification of Anicra jacobseniana (Alooideae) (Lillaceae/Asphodelaceae) | 196 |
| SNIIMAN DA Notes on the Strumarinae (Amaryllidaceae—Amaryllideae). Six new taxa in Strumaria | |
| and Hassag from the central and northwestern Cape. South Africa, and southern Namiola | 1 |
| STEINED K E Three new species of Diascia (Scrophulariaceae) from the Western Cape | 13 |
| TILAT DOON I Notes on the mass flore of 7imbabwe (Rryophyta) | 196 |
| VAN ROOY, J. Notes on the moss hold of Zimbabwe (Bryophyan) | |
| | 37 |
| WAN POOV I & PEROLD S.M. New and interesting records of mosses in the Flora of southern Africa | |
| 2 Minallaneous componencie tovo (Rryonnyia) | 195 |
| VAN WYK, B-E. The identity of Argyrolobium obsoletum and the correct names for some species of Polhillia | |
| | 42 |
| WORKER D & MACCE G.I. Typification of Pelargonium section Polyactium (Geraniaceae) | 195 |
| WEIGGED DI CMITH ECA RACKER A.P. & VAN EEDEN, S. Flora and vegetation of the viboniamor | 0.00 |
| Deach Arguste Scar on the Zululand dune harrier, Natal, South Africa | 20) |
| WEISSED DI WHITFIELD A.K. & HALL, C.M. The recovery and dynamics of submerged aquatic | 202 |
| 1-to report tion in the Wilderness lakes southern Cape | 20. |
| wells, M.J. & Brink, E. Obituary: Amy Frances Gordon Jacot Guillarmod, née Hean (1911–1992) | 295 |



INDEX—INDEKS

| Aconthogoage 171 | |
|---|--|
| Acanthaceae, 171 | checklist, 77, 93, 218, 235, 278 |
| alien invasive plants, 119 | Chippindall, Lucy Kathleen Armitage, 299 |
| Alooideae (Asphodelaceae/Liliaceae), 196 altitudinal distribution, 235 | Coelidium vlokii Schutte & Van Wyk, 188 |
| | Cololejeunea |
| Amaryllidaceae, 1 Amaryllideae, 1 | cardiocarpa (Montagne) Steph., 177 |
| Anemiaceae (Pteridophyta), 199 | jooriana (Steph.) Evans, 179 |
| Anemia Swartz, 199 | (Platycolea) cardiocarpa (Montagne) Schuster, 177 |
| Anila | comb. nov., 26, 27, 30, 32, 43, 165–169 |
| | Compton, S.G. New records of Ficus species and their pollinators on |
| argyraea (Eckl. & Zeyh.) Kuntze, 168 | Grand Comore (Moraceae), 46 |
| macra (E. Mey.) Kuntze, 168 | culm anatomy, 111 |
| parviflora (Heyne ex Wight & Arn.) Kuntze, 168 | Cyclopia squamosa A.L. Schutte, 190 |
| welwitschii (Bak.) Kuntze, 167 | Diascia |
| Ansellia, section (Justicia), 175 | hexensis K.E. Steiner, 16 |
| Apicra jacobseniana V. Poelln., 196 | humilis K.E. Steiner, 15 |
| arcuate scar, 289 | maculata K.E. Steiner, 13 |
| Argyrolobium | Dilatris Berg, 59 |
| brevicalyx C.H. Stirton, 43 | distribution |
| involucratum (Thunb.) Harv., 43 | altitudinal, 235 |
| obsoletum Harv., 43 | extralimital, 235 |
| Arnell, S., 177 | dune valley, 289 |
| Arriaga, M.O. Salt glands in flowering culms of Eriochloa species | Du Plessis, E. Review: South West African botany, by W. Giess. 1989, 155 |
| (Poaceae), 111 | early 20th century, 145 |
| Asclepiadaceae, 23 | eastern Cape, 119 |
| Asclepias | Edwards, T.J., Kunhardt, C. & Venter, S. Notes on the genus Streptocar- |
| cognata N.E. Br., 30 | pus (Gesneriaceae), 192 |
| diploglossa (Turcz.) Druce, 26 | environmental gradients, 205 |
| flava N.E. Br., 27 | ephemeral, 255 |
| schizoglossoides Schltr., 26 | epiphyllous liverwort, 177 |
| Aspalathus sericea sensu Thunb., 43 | Eriochloa spp., 111 |
| Asphodelaceae (Liliaceae), 196 | Erythrobulbus Pluk., 61 |
| Asphodelus Breyne, 61 | Eupenicillium Ludwig, 77 |
| latifolius Breyne, 62 | Euphorbia |
| Aspidonepsis A. Nicholas & D.J. Goyder, 24 | celata R.A. Dyer, 38 |
| subgenus Aspidonepsis, 26 | exilis Leach, 41 |
| cognata (N.E. Br.) A. Nicholas & D.J. Goyder, 30 | |
| diploglossa (Turcz.) A. Nicholas & D.J. Goyder, 26 | francescae Leach, 39 |
| flava (N.E. Br.) A. Nicholas & D.J. Goyder, 27 | glandularis Leach & Williamson, 41 |
| subgenus Unguilobium A. Nicholas & D.J. Goyder, 31 | miscella Leach, 38 |
| reenensis (N.E. Br.) A. Nicholas & D.J. Goyder, 32 | quadrata Nel, 39 |
| shebae A. Nicholas & D.J. Goyder, 33 | Euphorbiaceae, 37 |
| | evolution, 59 |
| Atlantic Ocean, 93 | extralimital distribution, 235 |
| author citations, 43 | Fabaceae, 42, 47, 165, 188-190 |
| Backer, A.P., 289 | Ficus |
| Bankenveld, 245 Bankenveld, 245 Chinnindell (1012—1002) | antandronarum (H. Perrier) C.C. Berg subsp. bernardii C.C. Berg, 46 |
| Barker, N.P. Obituary: Lucy Kathleen Armitage Chippindall (1913–1992), | bojeri Bak., 46 |
| 299 | lutea Vahl, 46 |
| Bartramiaceae (Bryophyta), 37 | pachyclada Bak. subsp. pachyclada, 46 |
| Betonica, section (Justicia), 173 | reflexa Thunb. subsp. aldabrensis (Bak.) C.C. Berg, 46 |
| biogeography, 205 | rubra Vahl, 46 |
| biomass, 283 | sycomorus L., 46 |
| book reviews, 155, 313 | tilifolia Bak., 46 |
| botanical art, 145 | fitososiologie, 245 |
| Braun-Blanquet, 245 | flora, 205 |
| Bredenkamp, G.J., 245 | Flora of southern Africa area, 37, 195 |
| breeding system, 13 | floristic composition, 235 |
| Breytenbach, P.J.J., 245 | fluctuations, 283 |
| Brink, E., 295 | forest, 205 |
| Brusse, F. A new species of Bullatina from the Transkei Wild Coast | fragmentation, 205 |
| (Gomphillaceae-Lichenes), 44 | Funariaceae (Bryophyta), 37 |
| Brusse, F. A new species in the lichen genus Heterodermia, from coastal | fungi, 77 |
| Namaqualand (Pyxinaceae), 183 | Fynbos Biome, 119 |
| Bruyns, P. Notes on Euphorbia species from the northwestern Cape | Geldenhuys, C.J. Richness, composition and relationships of the floras |
| (Euphorbiaceae), 37 | of selected forests in southern Africa, 205 |
| | gen. nov., 24 |
| Bryaceae (Bryophyta), 37 | |
| Bryophyta, 37, 195, 196 | Geraniaceae, 195 Germishuizen, G. Lessertia sneeuwbergensis, a new species from the |
| Bullatina viridis Brusse, 44 | Middelburg District of the central Cape Province (Fabaceae), 189 |
| Cape Province | |
| central, 1, 189 | Gesneriaceae, 192 |
| eastern, 119 | Gigaspermaceae (Bryophyta), 37 |
| northwestern, 1, 37 | Gomphillaceae (Lichenes), 44 |
| southern, 188, 283 | Gomphocarpus diploglossus Turcz., 26 |
| southwestern, 47, 190 | Goyder, D.J., 23 |
| western, 13 | Grand Comore (Ngazidja), 46 |
| Cape Town, Signal Hill, 255 | Grassland Biome, 119 |
| central Cape, 1, 189 | Grootvlei-area (S Tranvaal), 245 |
| Characeae, 283 | growth form, 205 |
| | |

guide for authors to Bothalia, 157 Haemodoraceae, 59 Hahn, Charles Theophilus, 145 Hall, C.M., 283 Harnieria, section (Justicia), 174 Helme, N.A. & Linder, H.P. Morphology, evolution and taxonomy of Wachendorfia (Haemodoraceae), 59 Henderson, L. Invasive alien woody plants of the eastern Cape, 119 hepatic, 53 Hessea speciosa Snijman, 7 Heterodermia namaquana Brusse, 183 Hyphomycetes (Fungi), 77 Immelman, K. Studies in the Justicia and Siphonoglossa (Acanthaceae) species of southern Africa: final conclusions, 171 Inaccessible Island, 93 Indigastrum Jaub. & Spach, 167 argyraeum (Eckl. & Zeyh.) Schrire, 168 argyroides (E. Mey.) Schrire, 168 burkeanum (Benth. ex Harv.) Schrire, 168 candidissimum (Dinter) Schrire, 168 costatum (Guill. & Perr.) Schrire, 168 subsp. costatum, 168 subsp. goniodes (Hochst. ex Bak.) Schrire, 168 subsp. macrum (E. Mey.) Schrire, 168 subsp. theuschii (O. Hoffm.) Schrire, 168 deflexum (Hochst. ex A. Rich.) Jaub. & Spach, 169 fastigiatum (E. Mey.) Schrire, 168 guerranum (Torre) Schrire, 168 macrostachyum Jaub. & Spach, 168 parviflorum (Heyne ex Wight & Arn.) Schrire, 168 subsp. occidentalis (J.B. Gillett) Schrire, 169 subsp. parviflorum, 169 var. crispidulum (J.B. Gillett) Schrire, 169 var. parviflorum, 169 Indigofera sensu Hutch., 165, 168 subgen. Euindigofera Benth., 167 subgen. Indigastrum sensu Cronq., 165 subgen. Indigastrum (Jaub. & Spach) J.B. Gillett, 168 subgen. Microcharis (Benth.) J.B. Gillett, 165 'group' Indigastrum (Jaub. & Spach) Bak. f., 168 acutifolia Schinz, 166 affinis Harv., 168 ammophila Thulin, 165 angolensis D. Dietr., 165 annua Milne-Redh., 165 arenaria sensu Bak., 166 argyraea Eckl. & Zeyh., 168 argyroides E. Mey., 168 asparagoides Taub., 165 subsp. ephemera J.B. Gillett, 166 var. tisserantii Pellegr., 167 barcensis Chiov., 169 brevistaminea J.B. Gillett, 165 buchnera Taub., 165 burchellii E. Mey., var. multifolia E. Mey., 168 var. paucifolia E. Mey., 168 burkeana Benth. ex Harv., 168 burkeana sensu J.B. Gillett, 168 butayei De Wild., 165 cana Thulin, 166 candidissima Dinter, 168 collina Eckl. & Zeyh., 168 contorta J.B. Gillett, 166 costata Guill. & Perr., 168 subsp. costata, 168 subsp. goniodes J.B. Gillett, 168 subsp. macra (E. Mey.) J.B. Gillett, 168 subsp. theuschii (O. Hoffm.) J.B. Gillett, 168 cufodontii Chiov., 166 deflexa Hochst. ex A. Rich., 169 disjuncta J.B. Gillett var. disjuncta, 166 var. fallax J.B. Gillett, 166 engleri Bak. f., 168 fastigiata E. Mey., 168 var. angustata Harv., 166 garissaënsis J.B. Gillett, 166 goniodes sensu Eyles, 168 goniodes Hochst. ex Bak., 168

var. damarensis Bak. f., 168 var. rhodesica Bak. f., 168 graminea Schltr., 166 guerrana Torre, 168 gyrata Thulin, 166 heptaphylla Hiern, 168 hutchinsoniana J.B. Gillett, 167 karinensis Thulin, 166 kucharii Thulin, 166 lateritia Chev., 166 leptocarpa Hochst. & Steud. ex Balf. f., 166, 167 lobata J.B. Gillett, 166 longicalyx J.B. Gillett, 166 macra E. Mey., 168 var. aequalis N.E. Br., 168 medicaginea Welw. ex Bak., 166 medicaginea sensu Bak., 166 medicaginea sensu Schreib., 168 microcharoides Taub., 166 var. latestipulata J.B. Gillett, 167 parviflora Heyne ex Wight & Arn., 168 var. crispidula J.B. Gillett, 169 var. occidentalis J.B. Gillett, 169 var. parviflora J.B. Gillett, 169 phyllogramme Viguier, 167 var. aphylla Viguier, 165 praetermissa Bak. f., 167 pseudoalternans Dinter, 168 pseudo-indigofera (Merxm.) J.B. Gillett, 166 remotiflora Taub. ex Bak. f., 167 richardsiae J.B. Gillett, 165 rostrata Conrath, 168 saxicola Engl., 168 semhaensis Vierh., 166 sesquijuga Chiov. var. obbiadensis Chiov., 167 sessilis Thulin, 167 spathulata J.B. Gillett, 167 spinosa Forssk. var. spiniflora sensu Schweinf., 167 stipulosa Chiov., 167 tenuirostris Thulin, 167 tenuisiliqua Schweinf., 167 theuschii O. Hoffm., 168 tisserantii (Pellegr.) Pellegr., 167 tritoides Bak., 167 var. obbiadensis (Chiov.) J.B. Gillett, 167 var. tritoides, 167 variabilis De Wild., 167 wajirensis J.B. Gillett, 167 welwitschii sensu Hutch. & Dalz., 167 welwitschii Bak., 167 var. remotiflora (Taub. ex Bak. f.) Cronq., 167 var. remotiflora sensu Cronq., 167 var. simplicifolia Bak. f., 166 ion excretion, 111 Jacot Guillarmod, Amy Frances Gordon, née Hean, 295 Joubert, C. & Moll, E.J. A phytosociological study of Signal Hill, Cape Town, utilizing both perennial and ephemeral species, 255 Justicia, section (Justicia), 173 Justicia L. sect. Ansellia (C.B. Cl.) Ensermu, 175 sect. Betonica (Nees) T. Anders., 173 sect. Harnieria (Solms-Laub.) Benth., 174 sect. Justicia p.p., 173 sect. Minima Immelman, 174 sect. Raphidospora (Nees) T. Anders., 172 sect. Rostellaria T. Anders. subsect. Ansellia (C.B. Cl.) V.A.W. Graham, sect. Tyloglossa (Hochst.) Lindau, 173 anagalloides (Nees) T. Anders., 175 anselliana (Nees) T. Anders., 175 betonica L., 173 bolusii C.B. Cl., 173 campylostemon (Nees) T. Anders., 172 capensis Thunb., 174 crassiradix Burkill & C.B. Cl., 175 cuneata Vahl, 173 flava (Vahl) Vahl, 173 glabra Koenig ex Roxb., 172 guerkeana Schinz, 173 heterocarpa subsp. dinteri (S. Moore) Hedrén, 174

tenella sensu Bak. f., 166

kirkiana T. Anders., 173 tenuirostris (Thulin) Schrire, 167 montis-salinarum A. Meeuse, 173 tisserantii (Pellegr.) Schrire, 167 odora (Forssk.) Vahl, 174 tritoides (Bak.) Schrire, 167 orchioides L. f., 173 subsp. obbiadensis (Chiov.) Schrire, 167 parvibracteata Immelman, 174 subsp. tritoides, 167 petiolaris (Nees) T. Anders., 173 wajirensis (J.B. Gillett) Schrire, 167 platysepala (S. Moore) P.G. Mey., 173 welwitschii (Bak.) Schrire, 167 protracta (Nees) T. Anders., 174 Milton, S.J., 93 thymifolia (Nees) C.B. Cl., 173 Minima, section (Justicia) Immelman, 174 key Mohria Swartz, 199 Aspidonepsis subgen. & spp., 26 Moll, E.J., 255 Justicia sections, 172 Moloney, C.L., 93 Wachendorfia spp., 62 monitoring, 283 Kunhardt, C., 192 Moraceae, 46 Kurzweil, H. An analysis of the orchid flora of Mt Mulanje, Malawi, 235 morphology, 59, 199 Lebeckia Thunb. subgenus Plecolobium C.H. Stirton, 42 Mt Mulanje (Malawi), 235 waltersii C.H. Stirton, 43 Myburgh, W.J., Breytenbach, P.J.J., Theron, G.K. & Bredenkamp, G.J. lectotypification, 185, 196 Die fitososiologie van die Bankenveld in die Grootvlei-omgewing, Lejeunea (Colo-Lejeunea) jooriana Stephani, 179 Suid-Transvaal, 245 Lejeuneaceae, 177 Najas marina, 283 Lejeunia Nama-Karoo Biome, 119 cardiocarpa Montagne, 177 Namaqualand, 183 jooriana Austin, 179 Namibia, southern, 1 (subg. Colo-Lejeunea sect. Leptocolea) cardiocarpa (Montagne) Spruce, Natal, 145, 289 179 flora, 145 Leptocolea National Botanical Institute, South Africa: list of staff and publications, cardiocarpa (Montagne) Evans, 177 cristata var. lanciloba S. Arnell, 177 new combinations, 165 jooriana (Stephani) Evans, 179 new genus, 23, 24 Lessertia sneeuwbergensis Germishuizen, 189 new records, 19, 37, 46, 195 Lichenes, 44, 183 Nicholas, A. & Goyder, D.J. Aspidonepsis (Asclepiadaceae), a new Liliaceae, 196 southern African genus, 23 Linder, H.P., 59 Nightingale Island (S Atlantic), 93 northwestern Cape, 1, 37 Liparieae (Fabaceae), 188 liverwort, epiphyllous, 177 obituaries, 295 Macrocoma (Hornsch. ex C. Müll.) Grout, 196 Orchidaceae, 235 macrophytes, 283 overview, 77 Maggs, G.L., 195 Pallavicinia capensis S. Arnell, 53 Malawi, 235 Pallaviciniaceae, 53 Manning, J.C., 145 Papilionoideae (Fabaceae), 165 Marchantiales, 19 Paranomus reflexus (Phill. & Hutch.) Fourcade, 43 Mbonambi Beach Arcuate Scar, Zululand, 289 Pelargonium sect. Polyactium DC., 195 Melolobium involucratum (Thunb.) C.H. Stirton, 43 multiradiatum Wendl., 195 Penicillium Link, 77 Metzgeriales, 53 Microcharis Benth., 165 perennial, 255 ammophila (Thulin) Schrire, 165 Perold, S.M., 37, 195 angolensis Bak., 165 Perold, S.M. Studies in the genus Riccia (Marchantiales) from southern annua (Milne-Redh.) Schrire, 165 Africa. 24. R. moenkemeyeri, subgenus Ricciella: new records, 19 Perold, S.M. The occurrence in southern Africa of the hepatic, aphylla (Viguier) Schrire, Du Puy & Labat, 165 asparagoides (Taub.) Schrire, 165 Symphyogyna brasiliensis (Pallaviciniaceae), 53 Perold, S.M. Cololejeunea cardiocarpa, an epiphyllous liverwort in brevistaminea (J.B. Gillett) Schrire, 165 southern Africa (Lejeuneaceae), 177 buchneri (Taub.) Schrire, 165 Perold, S.M. Lectotypification of Riccia crystallina (Ricciaceae), 185 butayei (De Wild.) Schrire, 165 cana (Thulin) Schrire, 166 phylogeny, 59 contorta (J.B. Gillett) Schrire, 166 Physocolea savesiana Stephani, 179 phytosociology, 245, 255 cufodontii (Chiov.) Schrire, 166 Platycolea Schuster, 177 disjuncta (J.B. Gillett) Schrire, 166 Poaceae, 111 var. disjuncta, 166 Podalyrieae (Fabaceae), 190 var. fallax (J.B. Gillett) Schrire, 166 Polhillia C.H. Stirton, 42 ephemera (J.B. Gillett) Schrire, 166 brevicalyx (C.H. Stirton) Van Wyk & Schutte, 43 galpinii N.E. Br., 166 garissaënsis (J.B. Gillett) Schrire, 166 canescens C.H. Stirton, 43 connata (Harv.) C.H. Stirton, 43 gyrata (Thulin) Schrire, 166 involucrata (Thunb.) Van Wyk & Schutte, 43 karinensis (Thulin) Schrire, 166 obsoleta (Harv.) B-E. van Wyk, 43 kucharii (Thulin) Schrire, 166 pallens C.H. Stirton, 43 latifolia Benth., 166 sp., 43 longicalyx (J.B. Gillett) Schrire, 166 waltersii (C.H. Stirton) C.H. Stirton, 43 medicaginea (Welw. ex Bak.) Schrire, 166 pollinators, 46 microcharoides (Taub.) Schrire, 166 Polyactium, sect. (Pelargonium), 195 var. latestipulata (J.B. Gillett) Schrire, 167 Potamogeton pectinatus, 283 var. microcharoides, 166 Priestleya boucheri Oliver & Fellingham, 47 phyllogramme (Viguier) Schrire, Du Puy & Labat, 167 Proteaceae, 43 praetermissa (Bak. f.) Schrire, 167 Pteridophyta, 102, 199, 218, 278 pseudo-indigofera Merxm., 166 Pyxinaceae (Lichenes), 183 remotiflora (Taub. ex Bak. f.) Schrire, 167 Raphidospora, section (Justicia), 172 sessilis (Thulin) Schrire, 167 Reid, C. Review: Flora of southeastern Queensland Vol. III, by T.D. Stanley & E.M. Ross. 1989, 155 spathulata (J.B. Gillett) Schrire, 167 stipulosa (Chiov.) Schrire, 167 resurrected names, 165 tenella Benth., 167 Rhynchotropis curtisiae Johnst., 167

Strumaria Jacq. Riccia aestivalis Snijman, 1 moenkemeyeri Steph., 19 discifera Marloth ex Snijman, 5 abnormis Steph., 19 subsp. bulbifera Snijman, 5 chevalieri Steph., 19 subsp. discifera, 5 crystallina L., 185 perryae Snijman, 3 Ricciaceae, 19, 185 villosa Snijman, 7 Ricciella undulata S. Arnell, 19 Strumariinae (Amaryllidaceae), 1 roadside survey, 119 Rostellaria T. Anders., section, Ansellia (C.B. Cl.) V.A.W. Graham, subsubgenus Ricciella (Marchantiales), 19 section, 175 Aspidonepsis A. Nicholas & D.J. Goyder (Asclepiadaceae), 26 Rourke, J.P. The correct author citation for Paranomus reflexus Unguilobium A. Nicholas & D.J. Goyder (Asclepiadaceae), 31 (Proteaceae), 43 subgen. nov., 26, 31 Rourke, J.P. Stilbe verticillata, the correct name for the species previously subsp. nov., 5 known as Stilbe mucronata (Stilbaceae), 192 Rourke, J.P. & Manning, J.C. The Ven. Charles Theophilus Hahn, a succession, 283 Symphyogyna hitherto unknown Edwardian botanical illustrator in Natal, brasiliensis Nees & Mont., 53 1908-1916, 145 lehmanniana (Mont. & Nees) Gottsche et al., 53 Roux, J.P. Systematic studies in the genus Mohria (Anemiaceae: tenuicostata Steph., 53 Pteridophyta). III. Comparative sporangium and spore morvalida Steph., 53 phology, 199 Talaromyces C.R. Benjamin, 77 Roux, J.P., Ryan, P.G., Milton, S.J. & Moloney, C.L. Vegetation and taxonomy, 1, 13, 19, 23, 37-51, 53, 59, 77, 165, 171, 177, 183-197 checklist of Inaccessible Island, central South Atlantic Ocean, Tayloria Hook., 196 with notes on Nightingale Island, 93 Theron, G.K., 245 Ryan, P.G., 93 Transkei, 44 salt glands, 111 Transvaal, southern, 245 Savanna Biome, 119 Tyloglossa, section (Justicia), 173 Schrire, B.D. New combinations and resurrected names in Microcharis typification, 195 and Indigastrum (Fabaceae-Papilionoideae), 165 Unguilobium A. Nicholas & D.J. Goyder, 31 Schutte, A.L. Cyclopia squamosa (Podalyrieae), a new species from the Van Eeden, S., 289 southwestern Cape Province (Fabaceae), 190 Van Rooy, J. Notes on the moss flora of Zimbabwe (Bryophyta), 196 Schutte, A.L. & Van Wyk, B-E. A new species of Coelidium (Liparieae-Van Rooy, J. & Perold S.M. New and interesting records of mosses Fabaceae), 188 in the Flora of southern Africa area: 2. Gigaspermaceae-Schutte, L. An overview of Penicillium (Hyphomycetes) and associated Bartramiaceae (Bryophyta), 37 teleomorphs in southern Africa, 77 Van Rooy, J. & Perold, S.M. New and interesting records of mosses in Scrophulariaceae, 13 the Flora of southern Africa area: 3. Miscellaneous acrocarpous sect. nov., 174 taxa (Bryophyta), 195 Signal Hill, Cape Town, 255 Van Wyk, B-E. The identity of Argyrolobium obsoletum and the correct Siphonoglossa Oerst., 171 names for some species of Polhillia (Crotalarieae-Fabaceae), 42 Smith, E.C.A., 289 Van Wyk, B-E., 188 Smith, G.F. Lectotypification of Apicra jacobseniana (Alooideaevegetation, 93, 289 Liliaceae/Asphodelaceae), 196 dynamics, 283 Snijman, D.A. Notes on the Strumariinae (Amaryllidaceae-Venter, S., 192 Amaryllideae). Six new taxa in Strumaria and Hessea from the Vorster, P. & Maggs, G.L. Typification of Pelargonium section Polyactium central and northwestern Cape, South Africa, and southern (Geraniaceae), 195 Namibia, 1 Wacchendorfia Burm. f., 61 South Africa, 13, 171, 289 Wachendorffa Cothen., 61 southern Wachendorfia Burm., 61 Africa, 1, 19, 23, 37, 53, 77, 171, 177, 205 brachyandra W.F. Barker, 65 brevifolia Soland. ex Ker-Gawl., 62 Cape, 188, 283 Namibia, 1 elata Salisb., 62 Transvaal, 245 graminea Thunb., 62 southwestern Cape, 47, 190 graminifolia L. f., 62 species-area curves, 205 herbertii Sweet, 62 species lists, 205 hirsuta Thunb., 62 sp. nov., 1, 3, 5, 7, 13, 15, 16, 33, 44, 47, 183, 188-190, 192 paniculata Burm., 62 sporangium, 199 parviflora W.F. Barker, 66 spores, 199 tenella Thunb., 62 stat. nov., 166, 167, 193 thyrsiflora Burm., 62 Steiner, K.E. Three new species of Diascia (Scrophulariaceae) from the Weisser, P.J., Smith, E.C.A., Backer, A.P. & Van Eeden, S. Flora and western Cape, 13 vegetation of the Mbonambi Beach Arcuate Scar on the Zululand Stilbaceae, 192 dune barrier, Natal, South Africa, 289 Weisser, P.J., Whitfield, A.K. & Hall, C.M. The recovery and dynamics Stilbe chorisepala Suesseng., 192 of submerged aquatic macrophyte vegetation in the Wilderness mucronata N.E. Br., 192 lakes, southern Cape, 283
Wells, M.J. & Brink, E. Obituary: Amy Frances Gordon Jacot Guillarvar. cuspidata H.H.W. Pearson, 192 verticillata (Eckl. & Zeyh.) Moldenke, 192 mod, née Hean (1911-1992), 295 var. cuspidata (H.H.W. Pearson) Moldenke, 192 West Coast Renosterveld, 255 Streptocarpus western Cape, 13 caeruleus Hilliard & Burtt, 193 Whitfield, A.K., 283 subsp. longiflorus Hilliard & Burtt, 193 Wilderness lakes, 283 fasciatus T. Edwards & C. Kunhardt, 192 Zimbabwe, 196 longiflorus (Hilliard & Burtt) T. Edwards, 193 Zululand, 289



